



Trausim Digital Products

Care for your smile

www.trausim.com

No.18, Jincheng Road, Wujin Economic and Development Zone, Changzhou, 213149, Jiangsu, China

Jiangsu Trausim Medical Instrument Co., Ltd.

B : Bridge S : Single Crown D : Diameter

Premill abutment/Customized abutment

	System	Connection	D10 Code	Specification	D14 Code	Specification	
OST	TS/GS	M(Mini)	901.1131	OST-TS-M-10S-I	901.1151	OST-TS-M-14S-I	
		M(Mini)	901.1121	OST-TS-M-10B-I	901.1141	OST-TS-M-14B-I	
		R(Regular)	901.1231	OST-TS-R-10S-I	901.1251	OST-TS-R-14S-I	
		R(Regular)	901.1221	OST-TS-R-10B-I	901.1241	OST-TS-R-14B-I	
DTN	SuperLine	R(Regular)	902.1131	DTN-SP-R-10S-I	902.1151	DTN-SP-R-14S-I	
		R(Regular)	902.1121	DTN-SP-R-10B-I	902.1141	DTN-SP-R-14B-I	
DO	SM Torx	M(mini)	903.1131	DO-SM-M-10S-I	903.1151	DO-SM-M-14S-I	
		M(mini)	903.1121	DO-SM-M-10B-I	903.1141	DO-SM-M-14B-I	
		R(Regular)	903.1231	DO-SM-R-10S-I	903.1251	DO-SM-R-14S-I	
		R(Regular)	903.1221	DO-SM-R-10B-I	903.1241	DO-SM-R-14B-I	
	UF	M(Mini)	903.5131	DO-UF-M-10S-I	903.5151	DO-UF-M-14S-I	
		M(Mini)	903.5121	DO-UF-M-10B-I	903.5141	DO-UF-M-14B-I	
		R(Regular)	903.5231	DO-UF-R-10S-I	903.5251	DO-UF-R-14S-I	
		R(Regular)	903.5221	DO-UF-R-10B-I	903.5241	DO-UF-R-14B-I	
ST	Tissue Level	R(Regular)	904.1131	ST-TL-R-10S-I	904.1151	ST-TL-R-14S-I	
		R(Regular)	904.1121	ST-TL-R-10B-I	904.1141	ST-TL-R-14B-I	
		W(Wide)	904.1231	ST-TL-W-10S-I	904.1251	ST-TL-W-14S-I	
		W(Wide)	904.1221	ST-TL-W-10B-I	904.1241	ST-TL-W-14B-I	
	Bone Level	N(Narrow)	904.2131	ST-BL-N-10S-I	904.2151	ST-BL-N-14S-I	
		N(Narrow)	904.2121	ST-BL-N-10B-I	904.2141	ST-BL-N-14B-I	
		R(Regular)	904.2231	ST-BL-R-10S-I	904.2251	ST-BL-R-14S-I	
		R(Regular)	904.2221	ST-BL-R-10B-I	904.2241	ST-BL-R-14B-I	
BG	Semados	3.25/3.75	907.1131	BG-SEM-3.25/3.75-10S-I	907.1151	BG-SEM-3.25/3.75-14S-I	
		3.25/3.75	907.1121	BG-SEM-3.25/3.75-10B-I	907.1141	BG-SEM-3.25/3.75-14B-I	
		4.1	907.1231	BG-SEM-4.1-10S-I	907.1251	BG-SEM-4.1-14S-I	
		4.1	907.1221	BG-SEM-4.1-10B-I	907.1241	BG-SEM-4.1-14B-I	
		4.5	907.1331	BG-SEM-4.5-10S-I	907.1351	BG-SEM-4.5-14S-I	
		4.5	907.1321	BG-SEM-4.5-10B-I	907.1341	BG-SEM-4.5-14B-I	
		5.5	907.1431	BG-SEM-5.5-10S-I	907.1451	BG-SEM-5.5-14S-I	
		5.5	907.1421	BG-SEM-5.5-10B-I	907.1441	BG-SEM-5.5-14B-I	

B : Bridge S : Single Crown D : Diameter

Premill abutment/Customized abutment

System	Connection	D10 Code	Specification	D14 Code	Specification					
NOB	Active	N (Narrow)	905.1131	NOB-ATV-N-10S-I	905.1151	NOB-ATV-N-14S-I				
		N (Narrow)	905.1121	NOB-ATV-N-10B-I	905.1141	NOB-ATV-N-14B-I				
		R(Regular)	905.1231	NOB-ATV-R-10S-I	905.1251	NOB-ATV-R-14S-I				
		R(Regular)	905.1221	NOB-ATV-R-10B-I	905.1241	NOB-ATV-R-14B-I				
	Replace	N (Narrow)	905.2131	NOB-REP-N-10S-I	905.2151	NOB-REP-N-14S-I				
		N (Narrow)	905.2121	NOB-REP-N-10B-I	905.2141	NOB-REP-N-14B-I				
		R(Regular)	905.2231	NOB-REP-R-10S-I	905.2251	NOB-REP-R-14S-I				
		R(Regular)	905.2221	NOB-REP-R-10B-I	905.2241	NOB-REP-R-14B-I				
		W(Wide5.0)	905.2331	NOB-REP-W5.0-10S-I	905.2351	NOB-REP-W5.0-14S-I				
		W(Wide5.0)	905.2321	NOB-REP-W5.0-10B-I	905.2341	NOB-REP-W5.0-14B-I				
		W(Wide6.0)	905.2431	NOB-REP-W6.0-10S-I	905.2451	NOB-REP-W6.0-14S-I				
		W(Wide6.0)	905.2421	NOB-REP-W6.0-10B-I	905.2441	NOB-REP-W6.0-14B-I				
		AST	Astra TECH	3.0 Yellow	906.1131	DSP-AST-3.0-10S-I		906.1151	DSP-AST-3.0-14S-I	
				3.0 Yellow	906.1121	DSP-AST-3.0-10B-I		906.1141	DSP-AST-3.0-14B-I	
3.5/4.0 Aqua	906.1231			DSP-AST-3.5/4.0-10S-I	906.1251	DSP-AST-3.5/4.0-14S-I				
3.5/4.0 Aqua	906.1221			DSP-AST-3.5/4.0-10B-I	906.1241	DSP-AST-3.5/4.0-14B-I				
4.5/5.0 Lilac	906.1331			DSP-AST-4.5/5.0-10S-I	906.1351	DSP-AST-4.5/5.0-14S-I				
4.5/5.0 Lilac	906.1321			DSP-AST-4.5/5.0-10B-I	906.1341	DSP-AST-4.5/5.0-14B-I				
XV	XIVE	3.0	906.2131	DSP-XV-3.0-10S-I	906.2151	DSP-XV-3.0-14S-I				
		3.0	906.2121	DSP-XV-3.0-10B-I	906.2141	DSP-XV-3.0-14B-I				
		3.4	906.2231	DSP-XV-3.4-10S-I	906.2251	DSP-XV-3.4-14S-I				
		3.4	906.2221	DSP-XV-3.4-10B-I	906.2241	DSP-XV-3.4-14B-I				
		3.8	906.2331	DSP-XV-3.8-10S-I	906.2351	DSP-XV-3.8-14S-I				
		3.8	906.2321	DSP-XV-3.8-10B-I	906.2341	DSP-XV-3.8-14B-I				
		4.5	906.2431	DSP-XV-4.5-10S-I	906.2451	DSP-XV-4.5-14S-I				
		4.5	906.2421	DSP-XV-4.5-10B-I	906.2441	DSP-XV-4.5-14B-I				
		5.5	906.2531	DSP-XV-5.5-10S-I	906.2551	DSP-XV-5.5-14S-I				
		5.5	906.2521	DSP-XV-5.5-10B-I	906.2541	DSP-XV-5.5-14B-I				
ANK	Ankylos	R(Regular)	906.3121	DSP-ANK-R-10B-I	906.3141	DSP-ANK-R-14B-I				


B : Bridge S : Single Crown D : Diameter

Premill abutment/Customized abutment

System	Connection	D10 Code	Specification	D14 Code	Specification		
MG	EZ Plus	M(mini)	908.1131	MG-EZ Plus-M-10S-I	908.1151	MG-EZ Plus-M-14S-I	
		M(mini)	908.1121	MG-EZ Plus-M-10B-I	908.1141	MG-EZ Plus-M-14B-I	
		R(Regular)	908.1231	MG-EZ Plus-R/W-10S-I	908.1251	MG-EZ Plus-R/W-14S-I	
		R(Regular)	908.1221	MG-EZ Plus-R/W-10B-I	908.1241	MG-EZ Plus-R/W-14B-I	
	Anyone	R(Regular)	908.2231	MG-Anyone-R-10S-I	908.2251	MG-Anyone-R-14S-I	
		R(Regular)	908.2221	MG-Anyone-R-10B-I	908.2241	MG-Anyone-R-14B-I	
SN	AF	M(mini)	925.1131	SN-AF-M-10S-I	925.1151	SN-AF-M-14S-I	
		M(mini)	925.1121	SN-AF-M-10B-I	925.1141	SN-AF-M-14B-I	
		R(Regular)	925.1231	SN-AF-R-10S-I	925.1251	SN-AF-R-14S-I	
		R(Regular)	925.1221	SN-AF-R-10B-I	925.1241	SN-AF-R-14B-I	
BIC	MAX2.5	2.0	910.1121	BIC-MAX20-10B-I	910.1141	BIC-MAX20-14B-I	
		2.5	910.1221	BIC-MAX25-10B-I	910.1241	BIC-MAX25-14B-I	
		3.0	910.1321	BIC-MAX30-10B-I	910.1341	BIC-MAX30-14B-I	
ZM	Tapered Screw-Vent	3.5	911.1131	ZM-TSV-3.5-10S-I	911.1151	ZM-TSV-3.5-14S-I	
		3.5	911.1121	ZM-TSV-3.5-10B-I	911.1141	ZM-TSV-3.5-14B-I	
		4.5	911.1231	ZM-TSV-4.5-10S-I	911.1251	ZM-TSV-4.5-14S-I	
		4.5	911.1221	ZM-TSV-4.5-10B-I	911.1241	ZM-TSV-4.5-14B-I	
		5.7	911.1331	ZM-TSV-5.7-10S-I	911.1351	ZM-TSV-5.7-14S-I	
		5.7	911.1321	ZM-TSV-5.7-10B-I	911.1341	ZM-TSV-5.7-14B-I	
SIC	SIC	3.3	912.1131	SIC-ace/max-3.3-10S-I	912.1151	SIC-ace/max-3.3-14S-I	
		3.3	912.1121	SIC-ace/max-3.3-10B-I	912.1141	SIC-ace/max-3.3-14B-I	
		4.2	912.1231	SIC-ace/max-4.2-10S-I	912.1251	SIC-ace/max-4.2-14S-I	
		4.2	912.1221	SIC-ace/max-4.2-10B-I	912.1241	SIC-ace/max-4.2-14B-I	
		MS	SEVEN	N(Narrow)	913.1131	MS-SV-N-10S-I	
N(Narrow)	913.1121			MS-SV-N-10B-I	913.1141	MS-SV-N-14B-I	
S(Standard)	913.1231			MS-SV-S-10S-I	913.1251	MS-SV-S-14S-I	
S(Standard)	913.1221			MS-SV-S-10B-I	913.1241	MS-SV-S-14B-I	
W(Wide)	913.1331			MS-SV-W-10S-I	913.1351	MS-SV-W-14S-I	
W(Wide)	913.1321			MS-SV-W-10B-I	913.1341	MS-SV-W-14B-I	
CAM	Camlog	3.3	914.1131	CAM-SL-3.3-10S-I	914.1151	CAM-SL-3.3-14S-I	
		3.3	914.1121	CAM-SL-3.3-10B-I	914.1141	CAM-SL-3.3-14B-I	
		3.8	914.1231	CAM-SL-3.8-10S-I	914.1251	CAM-SL-3.8-14S-I	

B : Bridge S : Single Crown D : Diameter

Premill abutment/Customized abutment

	System	Connection	D10 Code	Specification	D14 Code	Specification	
CAM	Camlog	3.8	914.1221	CAM-SL-3.8-10B-I	914.1241	CAM-SL-3.8-14B-I	
		4.3	914.1331	CAM-SL-4.3-10S-I	914.1351	CAM-SL-4.3-14S-I	
		4.3	914.1321	CAM-SL-4.3-10B-I	914.1341	CAM-SL-4.3-14B-I	
DTS	S-clean	R(Regular)	915.1131	DTS-Sclean-R-10S-I	915.1151	DTS-Sclean-R-14S-I	
		R(Regular)	915.1121	DTS-Sclean-R-10B-I	915.1141	DTS-Sclean-R-14B-I	
ATG	Axiom	R(Regular)	916.1131	ATG-AX-R-10S-I	916.1151	ATG-AX-R-14S-I	
		R(Regular)	916.1121	ATG-AX-R-10B-I	916.1141	ATG-AX-R-14B-I	
ICX	ICX	R(Regular)	917.1131	ICX-templant-N-10S-I	917.1151	ICX-templant-N-14S-I	
		R(Regular)	917.1121	ICX-templant-N-10B-I	917.1141	ICX-templant-N-14B-I	
BIO	INT	3.0	918.1131	BIO-INT-3.0-10S-I	918.1151	BIO-INT-3.0-14S-I	
		3.0	918.1121	BIO-INT-3.0-10B-I	918.1141	BIO-INT-3.0-14B-I	
		3.5	918.1231	BIO-INT-3.5-10S-I	918.1251	BIO-INT-3.5-14S-I	
		3.5	918.1221	BIO-INT-3.5-10B-I	918.1241	BIO-INT-3.5-14B-I	
		4.5	918.1331	BIO-INT-4.5-10S-I	918.1351	BIO-INT-4.5-14S-I	
		4.5	918.1321	BIO-INT-4.5-10B-I	918.1341	BIO-INT-4.5-14B-I	
Cor	Cortex	Hex	919.1131	Cor-Classix-R-10S-I	919.1151	Cor-Classix-R-14S-I	
		Hex	919.1121	Cor-Classix-R-10B-I	919.1141	Cor-Classix-R-14B-I	
NEO	IS	Sub Hex	920.1131	NEO-IS-R-10S-I	920.1151	NEO-IS-R-14S-I	
		Sub Hex	920.1121	NEO-IS-R-10B-I	920.1141	NEO-IS-R-14B-I	
AD	OS	R(Regular)	921.1131	AD-ISF-R-10S-I	921.1151	AD-ISF-R-14S-I	
		R(Regular)	921.1121	AD-ISF-R-10B-I	921.1141	AD-ISF-R-14B-I	
AP	DFI	R(Regular)	922.1131	AP-DFI-R-10S-I	922.1151	AP-DFI-R-14S-I	
		R(Regular)	922.1121	AP-DFI-R-10B-I	922.1141	AP-DFI-R-14B-I	
BDT	BL	N(Narrow)	923.1131	BDT-BL-B0-10S-I	923.1151	BDT-BL-B0-14S-I	
		N(Narrow)	923.1121	BDT-BL-B0-10B-I	923.1141	BDT-BL-B0-14B-I	
		S(Standard)	923.1231	BDT-BL-B1-10S-I	923.1251	BDT-BL-B1-14S-I	
		S(Standard)	923.1221	BDT-BL-B1-10B-I	923.1241	BDT-BL-B1-14B-I	
		W(Wide)	923.1331	BDT-BL-B2-10S-I	923.1351	BDT-BL-B2-14S-I	
		W(Wide)	923.1321	BDT-BL-B2-10B-I	923.1341	BDT-BL-B2-14B-I	

B : Bridge S : Single Crown D : Diameter

Premill abutment/Customized abutment

	System	Connection	D10 Code	Specification	D14 Code	Specification	
CTC	EL	R(Regular)	926.1131	CTC-EL-R-10S-I	926.1151	CTC-EL-R-14S-I	
		R(Regular)	926.1121	CTC-EL-R-10B-I	926.1141	CTC-EL-R-14B-I	
AB	AB	R(Regular)	929.1131	AB-CP-R-10S-I	929.1151	AB-CP-R-14S-I	
		R(Regular)	929.1121	AB-CP-R-10B-I	929.1141	AB-CP-R-14B-I	
ZM	Azure-C	S	911.4131	ZM-AC-S-10S-I	911.4151	ZM-AC-S-14S-I	
		S	911.4121	ZM-AC-S-10B-I	911.4141	ZM-AC-S-14B-I	
		L	911.4231	ZM-AC-L-10S-I	911.4251	ZM-AC-L-14S-I	
		L	911.4221	ZM-AC-L-10B-I	911.4241	ZM-AC-L-14B-I	
CAS	CANSUN	R(Regular)	931.1131	CAS-GY-R-10S-I	931.1151	CAS-GY-R-14S-I	
		R(Regular)	931.1121	CAS-GY-R-10B-I	931.1141	CAS-GY-R-14B-I	
BB	B&B	M(mini)	927.1131	BB-Duravit-M-10S-I	927.1151	BB-Duravit-M-14S-I	
		M(mini)	927.1121	BB-Duravit-M-10B-I	927.1141	BB-Duravit-M-14B-I	
		R(Regular)	927.1231	BB-Duravit-R-10S-I	927.1251	BB-Duravit-R-14S-I	
		R(Regular)	927.1221	BB-Duravit-R-10B-I	927.1241	BB-Duravit-R-14B-I	
HT	Human Tech	M(mini)	928.1131	HT-RP-M-10S-I	928.1151	HT-RP-M-14S-I	
		M(mini)	928.1121	HT-RP-M-10B-I	928.1141	HT-RP-M-14B-I	
		R(Regular)	928.1231	HT-RP-R-10S-I	928.1251	HT-RP-R-14S-I	
		R(Regular)	928.1221	HT-RP-R-10B-I	928.1241	HT-RP-R-14B-I	
		W(Wide)	928.1331	HT-RP-W-10S-I	928.1351	HT-RP-W-14S-I	
		W(Wide)	928.1321	HT-RP-W-10B-I	928.1341	HT-RP-W-14B-I	
SG	SG	R(Regular)	930.1131	SG-SST-R-10S-I	930.1151	SG-SST-R-14S-I	
		R(Regular)	930.1121	SG-SST-R-10B-I	930.1141	SG-SST-R-14B-I	
NEOS	NEOSS	R(Regular)	932.1231	NEOSS-PA-R-10S-I	932.1251	NEOSS-PA-R-14S-I	
		R(Regular)	932.1221	NEOSS-PA-R-10B-I	932.1241	NEOSS-PA-R-14B-I	
WAR	Warantec	R(Regular)	933.1131	WARAN-IT-M-10S-I	933.1151	WARAN-IT-M-14S-I	
		R(Regular)	933.1121	WARAN-IT-M-10B-I	933.1141	WARAN-IT-M-14B-I	
INO	INNO	R(Regular)	934.1131	INNOD-INNO-R-10S-I	934.1151	INNOD-INNO-R-14S-I	
		R(Regular)	934.1121	INNOD-INNO-R-10B-I	934.1141	INNOD-INNO-R-14B-I	
SKY	SKY	R(Regular)	950.1131	SKY-Blue-R-10S-I	950.1151	SKY-Blue-R-14S-I	
		R(Regular)	950.1121	SKY-Blue-R-10B-I	950.1141	SKY-Blue-R-14B-I	